

FIG. 1




FIG. 2A




FIG. 2B




FIG. 3




FIG. 4






FIG. 5




64×64 ARRAY PATTERN

FIG. 6



PROBE NUCLEIC ACID



cDNA


FIG. 7

6 / 9

A	G	C	T	A	G	C	T	
GATGGGACT <u>C</u> AN <u>G</u> TTCA	1	2	3	4	33	34	35	36
GATGGG <u>A</u> CTCG <u>N</u> GTTCAT	5	6	7	8	37	38	39	40
GATGGG <u>G</u> ACT <u>CC</u> NG <u>TT</u> CA	9	10	11	12	41	42	43	44
GATGGGACTCT <u>NG</u> TTCA	13	14	15	16	45	46	47	48
GATGGG <u>G</u> CT <u>C</u> AN <u>G</u> TTCA	17	18	19	20	49	50	51	52
GATGGG <u>G</u> CT <u>CG</u> NG <u>TT</u> CA	21	22	23	24	53	54	55	56
GATGGG <u>G</u> CT <u>CC</u> NG <u>TT</u> CA	25	26	27	28	57	58	59	60
GATGGG <u>G</u> CT <u>CT</u> NG <u>TT</u> CA	29	30	31	32	61	62	63	64

ARRANGEMENT OF 64 TYPES OF DNA PROBES

FIG. 8



8/9

FIG. 9




FIG. 10

